	Type	Hits	Search Text	DBs
1	BRS	20591	(optical or light) ((conduit or rod or ((fiber or fiber) bundle) or (light pipe)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	83	S3 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	435086	(circuit board) or (Printed circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	2	S2 and S5 and S6 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	18	S2 and S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	11	("4718744" | "5368503" | "5440658" | "5466174" | "5548676" | "5732176" | "5818995" | "6256445" | "6264376" | "6302595").PN. OR ("6779929").URPN.	US-PGPUB; USPAT; USOCR
7	BRS	21517	(optical coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	2	S8 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
9	BRS	71	("4168883" | "4204743" | "4265511" | "4307934" | "4355321" | "4451115" | "4501637" | "4616899" | "4639077" | "4687285" | "4698662" | "4707067" | "4711521" | "4733932" | "4740259" | "4752109" | "4753508" | "4758719" | "4790618" | "4818053" | "4824202" | "4842391" | "4862231" | "5046798" | "5050953" | "5073047" | "5074682" | "5075253" | "5175783" | "5181265" | "5214845" | "5239605" | "5244818" | "5247530" | "5257336" | "5283447" | "5287001" | "5291064" | "5337398" | "5347605" | "5362976" | "5416869" | "5440658" | "5452389" | "5457759" | "5463707" | "5485021" | "5495545" | "5500540" | "5504828" | "5521999" | "5526455" | "5537504" | "5546212" | "5546490" | "5548676" | "5555334" | "5566264" | "5566265" | "5600741" | "5631992" | "5692083" | "5734771" | "5737133" | "5737465" | "5745625" | "5771218" | "5940564" | "6243508" | "RE34790").PN. OR ("6931181").URPN.	US-PGPUB; USPAT; USOCR
10	BRS	4173	(light emitting diode chip) or (light emitting chip) or (semiconductor light emitting chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	IS&R	10	((("6832849") or ("6931181") or ("6354747") or ("3335387") or ("4398240") or ("5440658") or ("6264376") or ("6779929") or ("5548676")).PN.	USPAT; USOCR

	Type	Hits	Search Text	DBs
12	BRS	92	("1747896" | "2042199" | "2396725" | "2786937" | "2796593" | "2829359" | "2949595" | "2951226" | "2977562" | "2999895" | "3184536" | "3335387" | "3564231" | "3601786" | "3621445" | "3624385" | "3663931" | "3721815" | "3887803" | "3975072" | "4035681" | "4195330" | "4219172" | "4230387" | "4398240" | "4402110" | "4461537" | "4471414" | "4491900" | "4513356" | "4691985" | "4711518" | "4727648" | "4821152" | "4822302" | "4837927" | "4986625" | "4986772" | "5068771" | "5071375" | "5163109" | "5193099" | "5283802" | "5288242" | "5368503" | "5440658" | "D200157").PN. OR ("5548676").URPN.	US-PGPUB; USPAT; USOCR
13	BRS	6335	S5 and (solder pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	190	S5 and ((solder pad) and (alignm$5 (holes or slots or recess$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	30589	(optical or light) ((conduit or rod or ((fiber or fiber) bundle) or pipe))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	28	("4978317" | "5237641" | "5303322" | "5537229" | "5548676" | "5612794" | "5613873" | "5655832" | "5700084" | "5729367" | "5741152" | "5790041" | "5805275" | "5815278" | "5876239" | "5884991" | "5894539" | "5915993" | "5986746" | "6005722" | "6097549" | "6130730" | "6160948" | "6222623" | "6222677" | "6224417" | "6226440").PN. OR ("6368159").URPN.	US-PGPUB; USPAT; USOCR
17	BRS	20591	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	7104	(light emitting diode chip) or (light emitting chip) or (semiconductor with (light emitting) with chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	435441	(circuit board) or (Printed circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
20	BRS	1041	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	6343	S19 and (solder pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	26	S21 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	535	S18 and S19 and solder$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	20612	(optical or light) ((conduit or rod or ((fiber or fiber) bundle) or (light pipe)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	1	("6577794").PN. OR ("6974239").URPN.	US-PGPUB; USPAT; USOCR
26	BRS	11	S23 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	IS&R	1	("6577794").PN.	USPAT; USOCR
28	BRS	7	("4575785" | "5327328" | "5331512" | "5388035" | "5481440" | "RE34254").PN. OR ("6623152").URPN.	US-PGPUB; USPAT; USOCR
29	BRS	1631	S52 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	7	("4575785" | "5327328" | "5331512" | "5388035" | "5481440" | "RE34254").PN. OR ("6623152").URPN.	US-PGPUB; USPAT; USOCR
31	BRS	331	S31 and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	5179	257/80-83,90,98.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	5033	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	882330	(((light emitting diode) or "LED") chip) or (light emitting chip) or (naked ((light emitting diode) or "LED")) or ((light emitting diode) or "LED")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
35	BRS	2	257/80-83,90,98.ccls. and S28 and S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	20	S31 and lamp and (((light transmitting) or optical) with (conduit or rod))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	8122	S29 and (solder$4 pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	362	362/558.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	173	362/558.ccls. and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	IS&R	13	(("6779929") or ("6623152") or ("6354747") or ("6264376") or ("5548676") or ("5481440") or ("5732176") or ("5440658") or ("5359208") or ("5319527") or ("5247530") or ("4504830") or ("3335387")).PN.	USPAT
41	BRS	128	257/80-83,90,98.ccls. and S28 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	64	S41 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	9435	362/26,27,30,152,182,217,222,223,227, 545,551,554,559,565-567,570,571,577,581,800.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	126	S52 and S29 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	10012	(((light emitting diode) or "LED") chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	S37 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	804	257/80-83,90,98.ccls. and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
48	BRS	0	S29 and (solder$4 pad) and (align$4 (hole or recess or aperture)) and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	33	S31 and (((light transmitting) or optical) with (conduit or rod))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	829	S28 and S29 and solder$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	20612	(optical or light) ((conduit or rod or ((fiber or fiber) bundle) or (light pipe)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	21	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	IS&R	12	((("6779929") or ("6623152") or ("6354747") or ("6264376") or ("5548676") or ("5481440") or ("5732176") or ("5440658") or ("5359208") or ("5319527") or ("5247530") or ("4504830")).PN.	USPAT
54	BRS	26	("3667104" | "3786499" | "4138672" | "4163883" | "4306716" | "4367467" | "4504830" | "4603496" | "4683359" | "4789224" | "4818829" | "4935856").PN. OR ("5481440").URPN.	US-PGPUB; USPAT; USOCR
55	BRS	480	S52 and S29 and (solder$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	7	("4575785" | "5327328" | "5331512" | "5388035" | "5481440" | "RE34254").PN. OR ("6623152").URPN.	US-PGPUB; USPAT; USOCR
57	BRS	1877	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	11272	(((light emitting diode) or "LED") chip) or (light emitting chip) or (naked ((light emitting diode) or "LED"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	617	S29 and (solder$4 pad) and (align$4 (hole or recess or aperture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	12	("3829857" | "3918053" | "4310974").PN. OR ("4504830").URPN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
61	BRS	41	362/558.ccls. and S51 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	1068	40/546,547.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	6038	385/31,34,39,50,901.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	BRS	15962	S47 or S48 or S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	435441	(circuit board) or (Printed circuit board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	26	("3667104" | "3786499" | "4138672" | "4163883" | "4306716" | "4367467" | "4504830" | "4603496" | "4683359" | "4789224" | "4818829" | "4935856").PN. OR ("5481440").URPN.	US-PGPUB; USPAT; USOCR
67	IS&R	1	("6623152").PN.	USPAT; USOCR
68	BRS	11272	(((light emitting diode) or "LED") chip) or (light emitting chip) or (naked ((light emitting diode) or "LED"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	664	340/815.45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

/